

according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Flushing Oil Super

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Engine cleaning agent.

1.3. Details of the supplier of the safety data sheet

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor
Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-201 Telefax: +49 (0) 3461 845-561

e-mail: info@addinol.de

Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

1.4. Emergency telephone +49 (0) 3461 845-201 - This number is serviced during office hours.

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases:

May cause sensitisation by skin contact.

The preparation is dangerous in the sense of Directive 1999/45/EC.

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

GHS classification

Hazard categories:

Respiratory/skin sensitization: Skin Sens. 1

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

2.2. Label elements

Hazardous components which must be listed on the label

Contains: Calcium long-chain alkaryl sulfonate.

Signal word: Danger

Pictograms: GHS07-GHS08






Hazard statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.





according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 2 of 8

Precautionary statements

P261 Do not breathe vapour or spray.

P280 Wear suitable protective clothing and gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

Chemical name	Quantity
Classification	
GHS classification	
Distillates (petroleum), heavy hydrocracked; Base oil unspecified	< 65 %
Xn - Harmful R65	
Asp. Tox. 1; H304	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	< 30 %
Xn - Harmful R65	
Asp. Tox. 1; H304	
Calcium long-chain alkaryl sulfonate	1,50 - 1,80 %
Xi - Irritant R43-53	
Skin Sens. 1, Aquatic Chronic 4; H317 H413	
Zinc alkyldithiophosphate	1,20 - 1,50 %
Xi - Irritant, N - Dangerous for the environment R36-51-53	_
Eye Irrit. 2, Aquatic Chronic 2; H319 H411	
	Classification GHS classification Distillates (petroleum), heavy hydrocracked; Base oil unspecified Xn - Harmful R65 Asp. Tox. 1; H304 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified Xn - Harmful R65 Asp. Tox. 1; H304 Calcium long-chain alkaryl sulfonate Xi - Irritant R43-53 Skin Sens. 1, Aquatic Chronic 4; H317 H413 Zinc alkyldithiophosphate Xi - Irritant, N - Dangerous for the environment R36-51-53

Full text of R and H phrases: see Section 16.

Further Information

DMSO-Extrakt < 3 %, IP 346.

Concentration of PCBs < 1mg/kg.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider.. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.



ADDINOL Lube Oil GmbH

according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 3 of 8

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. In case of breathing difficulties administer oxygen. If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After indestion

Do not induce vomiting.

Rinse mouth thoroughly with water. Immediately get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). Carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Extinguishing materials should be selected according to the surrounding area. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not empty into drains or the aquatic environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapour, dust, and aerosols.

6.2. Environmental precautions


Do not empty into drains or the aquatic environment. In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.





according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 4 of 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well ventilated zones or use proper respiratory protection. Avoid oil mist In case of open handling equipment with built-in suction must be used. Avoid contact with skin, eye and clothing.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness. Keep container tightly closed in a cool place.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

Further information on storage conditions

Recommended storage temperature: 10 - 30°C Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Further information: refer to Technical Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

TWA: 5 mg/m³ oil mist STEL: 10 mg/m³ oil mist

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls





Appropriate engineering controls

Provide for sufficient ventilation and punctiform suction at critical points.

Protective and hygiene measures

Wash hands before breaks and at the end of work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.



ADDINOL Lube Oil GmbH

according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 5 of 8

Duration of wearing with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65° C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: brown

Odour: like: mineral oil.

Test method

Changes in the physical state

Initial boiling point and boiling range: not determined

Flash point: 120 °C DIN EN ISO 2592

Lower explosion limits: 0,6 vol. %
Upper explosion limits: 7,0 vol. %
Ignition temperature: not determined

Density (at 15 °C): 874 g/cm³ DIN 51757

Water solubility: virtually insoluble

Viscosity / kinematic: 8,0 mm²/s DIN 51562

(at 40 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is chemically stable when handled and stored under normal conditions.

10.2. Chemical stability

Stable with proper care and handling.

10.3. Possibility of hazardous reactions

No decomposition if used as intended.

10.4. Conditions to avoid

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

10.5. Incompatible materials

Reacts with :Oxidizing agents, strong. Acid.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). Carbon black.



ADDINOL Lube Oil GmbH

ADDINOL Flushing Oil Super

according to Regulation (EC) No 1907/2006

Print date: 02.10.2014 Product code: 720101 Page 6 of 8

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available

Mixture not tested.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
64741-76-0	Distillates (petroleum), heavy hydrocracked; Base oil unspecified						
	oral	LD50	> 5000 mg/kg	Rat.			
	dermal	LD50	> 2000 mg/kg	Rabbit.			
	inhalative (4 h) vapour	LC50	> 5000 mg/l	Rabbit.			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	oral	LD50	>2.000 mg/kg	Rat.			
	dermal	LD50	>2.000 mg/kg	Rabbit.			
	inhalative (4 h) vapour	LC50	>5.000 mg/l	Rat.			

Irritation and corrosivity

Irritant effect on the eye: mild irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Sensitising effects

Contains: Calcium long-chain alkaryl sulfonate. May produce an allergic reaction.

Severe effects after repeated or prolonged exposure

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

Mixture not tested.

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
64741-76-0	Distillates (petroleum), heavy hydrocracked; Base oil unspecified						
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Fisch		
	Acute algae toxicity	ErC50	> = 100 mg/l	72 h	Alge		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LC50	>1.000 mg/l	96 h			
	Acute algae toxicity	ErC50	>100 mg/l	72 h			

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not empty into drains or the aquatic environment.



ADDINOL Lube Oil GmbH

according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 7 of 8

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Must not be disposed of with domestic refuse. Do not empty into drains or the aquatic environment.

Waste disposal number of waste from residues/unused products

130205

OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils

Classified as hazardous waste.

Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. Waste disposal according to official state regulations. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: -

Inland waterways transport (ADN)

14.1. UN number:

Marine transport (IMDG)

14.1. UN number: -

Air transport (ICAO)

14.1. UN number:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



ADDINOL Lube Oil GmbH

according to Regulation (EC) No 1907/2006

ADDINOL Flushing Oil Super

Print date: 02.10.2014 Product code: 720101 Page 8 of 8

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

36	Irritating to eyes.

- 43 May cause sensitisation by skin contact.
- 51 Toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.

Full text of H statements referred to under Sections 2 and 3

H304 N	May t	be fatal i	f swallowed	and	enters airways.	

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contructual relationship.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)